


Design: Roy Fleetwood

Ecovision is an LED luminaire for uniform façade illumination. The special washer optics are extremely wide beam in the horizontal plane but narrow beam in the vertical plane. This fans out the light which then grazes up the façade. This makes optimal use of the luminous flux on the area to be illuminated. The shallow profile of the luminaire makes it a very discrete product. Furthermore, the precise optics make it possible to achieve high levels of illumination with low power consumption.






The luminous flux is concentrated in the vertical plane and grazes up the façade with hardly any light pollution.

Precise optics and a shallow housing with excellent heat dissipation properties characterise Ecovision.







Ecovision Mini Wall washer



With 6 x 3 W high performance LEDs, integral thermal monitoring device, protection class I, IP65 , IK10 housing made of extruded aluminium and die cast aluminium, polyester powder coated, all exterior steel parts are stainless steel, polycarbonate cover, silicon gasket, closure by 4 stainless steel screws, mounting flange: 2 drilled holes Ø 6.5 mm, spacing 242 mm (for the dimmable version: 282 mm), tilt range 120°, M20 cable gland, integral converter

Ecovision Mini, wall washer


Part number	Colour	Light source	Weight	Beam angle	!
				C 0 – 180	C 90 – 270
8 706 046 009	black	6 x LED 3 W warm white	2.3 kg	11°	106°
8 706 066 009	white				
8 706 056 009	silver grey				



Part number	Colour	Light source	Weight	Beam angle	!
				C 0 – 180	C 90 – 270
8 706 045 009	black	6 x LED 3 W neutral white	2.3 kg	11°	106°
8 706 065 009	white				
8 706 055 009	silver grey				



Part number	Description
8 706 ... 109	Dimmable luminaire (DALI)




ADMINISTRATION & LAGER
 Torbenfeldvej 1
 2665 Vallensbæk Strand
 Tel: +45 43 53 53 35
 Fax: +45 43 53 53 59
 Mail: info@deluxdk.com
www.deluxdk.com

SHOWROOM
 House of Dreams
 Vallensbækvej 63
 2625 Vallensbæk







Light source

LEDs, replacement modules available



Ecovision Mini Wall washer with wall arms

With 6 x 3 W high performance LEDs,
integral thermal monitoring device,
protection class I, IP65 \blacklozenge \blacktriangle \blacktriangle , IK10
housing made of extruded aluminium and die cast
aluminium, polyester powder coated, all exterior
steel parts are stainless steel, polycarbonate cover,
silicon gasket, closure by 4 stainless steel screws,
wall arms: 2 drilled holes \varnothing 6.5 mm,
spacing 242 mm (for the dimmable version:
282 mm), tilt range 310°, M20 cable gland,
integral converter



Ecovision Mini, wall washer with wall arms

Part number	Colour	Light source	Weight	Beam angle !	
8 706 146 009	black	6 x LED 3 W warm white	2.8 kg	C 0 – 180	C 90 – 270
8 706 166 009	white			11°	106°
8 706 156 009	silver grey				

Part number	Colour	Light source	Weight	Beam angle !	
8 706 145 009	black	6 x LED 3 W neutral white	2.8 kg	C 0 – 180	C 90 – 270
8 706 165 009	white			11°	106°
8 706 155 009	silver grey				

Part number	Description
8 706 ... 109	Dimmable luminaire (DALI)




ADMINISTRATION & LAGER
Torbenfeldvej 1
2665 Vallensbæk Strand
Tel.: +45 43 53 53 35
Fax.: +45 43 53 53 59
Mail: info@deluxdk.com
www.deluxdk.com

SHOWROOM
House of Dreams
Vallensbækvej 63
2625 Vallensbæk

Light source

LEDs, replacement modules available







Ecovision Wall washer



With 12 x 3 W high performance LEDs, integral thermal monitoring device, protection class I, IP65 , IK10 housing made of extruded aluminium and die cast aluminium, polyester powder coated, all exterior steel parts are stainless steel, polycarbonate cover, silicon gasket, closure by 4 stainless steel screws, mounting flange: 2 drilled holes \varnothing 6.5 mm, spacing 422 mm, tilt range 120°, M20 cable gland, integral converter

Ecovision, wall washer

Part number	Colour	Light source	Weight	Beam angle !	
				C 0 – 180	C 90 – 270
8 707 046 009	black	12 x LED 3 W warm white	2.9 kg	11°	106°
8 707 066 009	white				
8 707 056 009	silver grey				



Part number	Colour	Light source	Weight	Beam angle !	
				C 0 – 180	C 90 – 270
8 707 045 009	black	12 x LED 3 W neutral white	2.9 kg	11°	106°
8 707 065 009	white				
8 707 055 009	silver grey				




ADMINISTRATION & LAGER
 Torbenfeldvej 1
 2665 Vallensbæk Strand
 Tel.: +45 43 53 53 35
 Fax.: +45 43 53 53 59
 Mail: info@deluxdk.com
www.deluxdk.com

SHOWROOM
 House of Dreams
 Vallensbækvej 63
 2625 Vallensbæk

Light source






LEDs, replacement modules available



Ecovision

Wall washer with wall arms

With 12 x 3 W high performance LEDs, integral thermal monitoring device, protection class I, IP65 \blacklozenge \blacktriangle \blacktriangle , IK10 housing made of extruded aluminium and die cast aluminium, polyester powder coated, all exterior steel parts are stainless steel, polycarbonate cover, silicon gasket, closure by 4 stainless steel screws, wall arms: 2 drilled holes \varnothing 6.5 mm, spacing 422 mm, tilt range 310°, M20 cable gland, integral converter



Ecovision, wall washer with wall arms

Part number	Colour	Light source	Weight	Beam angle !	
8 707 146 009	black	12 x LED 3 W warm white	3.4 kg	C 0 – 180	C 90 – 270
8 707 166 009	white			11°	106°
8 707 156 009	silver grey				

Part number	Colour	Light source	Weight	Beam angle !	
8 707 145 009	black	12 x LED 3 W neutral white	3.4 kg	C 0 – 180	C 90 – 270
8 707 165 009	white			11°	106°
8 707 155 009	silver grey				



ADMINISTRATION & LAGER
 Torbenfeldvej 1
 2665 Vallensbæk Strand
 Tel.: +45 43 53 53 35
 Fax.: +45 43 53 53 59
 Mail: info@deluxdk.com
 www.deluxdk.com

SHOWROOM
 House of Dreams
 Vallensbækvej 63
 2625 Vallensbæk

Light source

LEDs, replacement modules available

