



THE BEST

LIGHT AFTER THE SUNSET

L I G H T
V I S I O N



A2

STRADALE | STREET

L'apparecchio per illuminazione stradale A2 è disponibile in versione **HID e LED**. Grazie alle sue caratteristiche di versatilità e di economia di esercizio A2, può essere impiegato sia per esigenze di ottimizzazione energetica di impianti esistenti che per nuovi impianti di illuminazione. La versione a scarica è dotata di riflettore multifocale di ultima generazione in grado di esaltare al massimo le performance delle lampade SHP e MHL fino a 150W e CPO fino a 140W*. La versione LED è equipaggiata di sistema LED DEKA™ caratterizzato da moduli sostituibili. Sono disponibili drivers ad elevato rendimento: fissi, con dimmerazione automatica o con dispositivo di controllo remoto Power Line Carrier.

The A2 street lighting luminaire is available both in the HID and the LED technology versions. Thanks to its versatility and low running costs, the A2 luminaire can be used both for energy optimisation of existing systems and for new lighting systems. The discharge version is fitted with a latest generation multi-focal reflector capable of enhancing the performance of SHP and MHL lamps up to 150W and CPO lamps up to 140W*. The LED version is equipped with the LED DEKA™ system featuring replaceable modules. High performance drivers are also available: fixed, with automatic dimming function or with Power Line Carrier remote control unit.



*Tutte le potenze massime riportate si riferiscono ad ottica ST. | All the maximum powers shown are for ST optics.



HID ITA



HID ENG



LED ITA




LED ENG

A2 A2led

Modello depositato | Registered model

A2



OTTICHE | OPTICS







